

What Does It Mean to Be Age-Friendly?

The 4Ms Are Practiced as a Set	The 4Ms in an Age-Friendly Health System Hospital
What Matters Know and align care with each older adult's specific health outcome goals and care preferences including, but not limited to, end-of-life care, and across settings of care Medication If medication is necessary, use age- friendly medication that does not interfere with What Matters to the older adult, Mobility, or Mentation across settings of care Mentation Prevent, identify, treat, and manage delirium across settings of care Mobility Ensure that each older adult moves safely every day to maintain function and do What Matters	 Ask the older adult What Matters most, document it, and share What Matters across the care team Align the care plan with What Matters most Review for high-risk medication use and document it Deprescribe or avoid high-risk medications, and document and communicate changes Screen for delirium at least every 12 hours and document results Ensure sufficient oral hydration Orient to time, place, and situation Ensure older adults have their personal adaptive equipment Support non-pharmacological sleep Screen for mobility limitations and document the results Ensure early, frequent, and safe mobility

The 4Ms Are Practiced as a Set

The 4Ms in an Age-Friendly Health System Practice

What Matters

Know and align care with each older adult's specific health outcome goals and care preferences including, but not limited to, end-of-life care, and across settings of care

Medication

If medication is necessary, use agefriendly medication that does not interfere with What Matters to the older adult, Mobility, or Mentation across settings of care

Mentation

Prevent, identify, treat, and manage delirium across settings of care

Mobility

Ensure that each older adult moves safely every day to maintain function and do What Matters

- Ask the older adult What Matters most, document it, and share What Matters across the care team
- · Align the care plan with What Matters most
- Review for high-risk medication use and document it
- Deprescribe or avoid high-risk medications, and document and communicate changes
- Screen for dementia/cognitive impairment and document the results
- Screen for depression and document the results
- Consider further evaluation and manage manifestations of dementia, educate older adults and caregivers, and/or refer out
- Identify and manage factors contributing to depression and/or refer out
- Screen for mobility limitations and document the results
- Ensure early, frequent, and safe mobility